

Galileo Flight Orbiter Equipment Configuration

i) Table of Contents

[page 1](#), [page 2](#), [page3](#)

1) Applicable documents

[page 4](#) Functional Requirements: JPL
Other Documents: JPL, ARC

2) Technical Drawings

[page 5](#) List of Technical Drawings

3) Configuration

[page 6](#) Configuration Definition

[page 7](#) Config. Def. Cont, Spacecraft Mech. Config., Electronic Packaging, Probe System Interfaces, Retro Propulsion Module, Space Transportation System (LV), Coordinate Systems.

pages 8-27 Omitted

[page 28](#) Celestial Clock/Cone Coordinates: Cross Cone Rate
Spacecraft Clock/Cone Coordinates: Orbiter: Rotor, Stator

[page 29](#) graphic of rotor and stator clock/cone-to-orbiter Cartesian

[page 30](#) Orbiter: Probe
Spacecraft Cartesian Coords
Orbiter: Rotor, Stator
Probe

[page 31](#) Scan Platform
Launch Vehicle Coordinates
Shuttle Orbiter
IUS
Spacecraft Reference Systems
Bay Identification

[page 32](#) Technical Drawing of Spacecraft after separation of the despun section.

[page 33](#) Drawing of Bay and Longeron Identification

[page 34](#) Drawing of the Spacecraft-LV Interface Relationship

[page 35](#) Drawing of the Primary Reference Planes

[page 36](#) Primary Reference Planes
EME 50
ECL 50

[page 37](#) ECL 50 Continued
S/C Attitude Determination
Scan Platform Rotor Twist Angles
SBA Encoder Angle Definition
SAS Encoder Angle Definition

page 38	Drawing of the relationship of Earth Coordinates to the Celestial Sphere
page 39	Drawing of an objects position in the EME 50 Coordinate System
page 40	Drawing of the ECL 50 Coordinate System
page 41	Coordinate Relationships S/C Cartesian to Reference Systems: Orbiter Clock/Cone to Spacecraft Cartesian: Orbiter, Probe Scan Platform to Stator Coordinate Relationship
page 42	Scan Platform Inst. to Scan Platform Coord. Relationship Spacecraft Cartesian to Launch Vehicle Cartesian Spacecraft to Probe Coordinate Relationship S/C Attitude Determination to EME50

4) Functional Requirements

page 42	System Level Requirements
page 43	Drawing of Scan Platform/Stator Coordinate Relationship
page 44	System Level Requirements Continued
page 45	System Level Requirements Continued Electronic Packaging Arrangement Requirements: RFS, PS, CDS
page 46	Electronic Packaging Arrangement Cont.: AACS, PSU, DMS, PWS DDS, MAG, NIMS, RRH, SAS
page 47	Electronic Packaging Arrangement Cont.: SXDC Mechanical Requirements: STRU
page 48	PPS: RTG Assembly, Shunt Heater Elements, PSU
page 49	PSU Cont. AACS: Star Scanner
page 50	AACS Cont.: Scan Actuator Subassembly, Linear Boom Actuator, Spin Bearing Assembly, Acquisition Sun Sensor, Spin Detector, Propulsion Driver Electronics Annes, Sun Gate Cabling Sybsystem (CABL)
page 51	Cabl Cont Temperature Control Subsystem Mechanical Devices Subsystem
page 52	Mechanical Devices Subsystem Cont. S/X-band Antenna Subsystem (SXA)
page 53	SXA Cont. Retro-Propulsion Module (RPM)
page 54	RPM Cont. Probe Heavy Ion Counter (HIC)
page 55	Extreme Ultraviolet Subsystem (EUV) Science Requirements
page 56	Science Requirements Cont. Near Infrared Mapping Spectrometer Subsystem (NIMS)

page 57	Image showing the NIMS Obscuration
page 58	Image showing the NIMS Radiator Obscuration in a +Z direction
page 59	Solar State Imaging Subsystems (SSI) Ultraviolet Spectrometer Subsystems (UVS)
page 60	Image Showing SSI Obscuration
page 61	Image Showing SSI Radiator Obscuration in a +Z direction
page 62	Image Showing UVS Obscuration
page 63	Image Showing UVS Radiator Obscuration in a +Z direction
page 64	Photopolarimeter/Radiometer Subsystem (PPR) Dust Detector System (DDS)
page 65	Image Showing the PPR Obscuration
page 66	Image Showing the PPR Radiator Obscuration in a +Z direction
page 67	Image Showing the PPR Spaceport Obscuration
page 68	Image Showing the PPR Spaceport Obscurations in a +Z direction
page 69	DDS Cont. Plasma Subsystem (PLS) Energetic Particles Detector Subsystem (EPD)
page 70	Image Showing the DDS Obscuration
page 71a	Image of FOV Obscuration with EPD Sunshade Retracted
page 71b	Image of FOV Obscuration with EPD Sunshade Over Inst.
page 71c	Image of LEMMS 15° and CMS 18.8° FOV Obscuration with EPD Sunshade over Inst.
page 72	Magnetometer Subsystems (MAG) Plasma Wave Subsystems (PWS)
page 73	Scan Platform Pointing Requirements Scan Platform Sunshade Requirements Science Calibration Subsystem (SCAS) Requirements
page 74	SCAS Cont. Orbiter Purge Equipment (OPE) Requirements
page 75	Revision Table